



Endeavour Ring Technical Data

Item Number	Diameter Data		Force & Load Data			Maximum Load		Packaging Data			
	Size	Hole Punch Diameter	Press Force on Dies + / -1 Ton	Yield Force Kg	Yield Force Lb.	Max Load Kg	Max Load Lb.	Box Size (pieces)	Gross Weight Kg	Gross Weight Lb.	Pcs in Carton
ER10	10mm	11mm	1.5 ton / by hand	150	331	310	684	100	0.56	1.23	600
ER12	12mm	13mm	1.7 ton / by hand	320	706	660	1,455	100	0.88	1.94	600
ER14	14mm	15mm	2.5 ton / by hand	860	1,896	1,780	3,925	50	0.58	1.28	400
ER17	17mm	18mm	10 ton	920	2,029	2,150	4,741	50	1.01	2.23	400
ER20	20mm	22mm	12 ton	970	2,139	2,520	5,557	50	1.45	3.20	400
ER25	25mm	28mm	15 ton	1,250	2,756	3,340	7,365	50	1.80	3.97	400
ER30	30mm	32mm	20 ton	1,500	3,308	5,800	12,789	50	3.32	7.32	400
ER35	35mm	38mm	22 ton	1,800	3,969	6,970	15,369	25	2.00	4.41	150
ER45	45mm	48mm	25 ton	3,030	6,681	9,310	20,529	25	3.60	7.94	150
ER55	55mm	57mm	30 ton	3,120	6,880	15,080	33,251	15	3.50	7.72	60

Produced from 316L stainless steel and available with a range of tools